


NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINIUM BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER MACHINING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5271-1" PER DART QSI 044 SECTION 6.1
- 7) WEIGHT: 0.50 lbs
- 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5271-1REV. A.SLDPRT"

UNAPPROVED

A	ISSUE	CC	15.06.15
REV.	DESCRIPTION		BY DATE
DESIGN	CC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CC		
CHECKED	VS	DRAWING NO.	REV. A7
MFG. APPR.	RQ	D5271	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AIRCRAFT FITTINGS	NTS
DATE	15.06.15	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D5271-3 LH AFT FITTING

- NOTES:
- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINIUM BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
 - 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER MACHINING
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5271-3" PER DART QSI 044 SECTION 6.1
 - 7) WEIGHT: 1.21 lbs
 - 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5271-3REV. A.SLDPRT"

UNAPPROVED

DESIGN	CC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CC		
CHECKED	VS	DRAWING NO.	REV. A7
MFG. APPR.	RQ	D5271	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AIRCRAFT FITTINGS	NTS
DATE	15.06.15	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:
1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINIUM BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER MACHINING
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5271-4" PER DART QSI 044 SECTION 6.1
7) WEIGHT: 1.21 lbs
8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5271-4REV. A.SLDPRT"

D5271-4 RH AFT FITTING

UNAPPROVED

DESIGN	CC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CC		
CHECKED	VS	DRAWING NO.	REV. A7
MFG. APPR.	RQ	D5271	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		AIRCRAFT FITTINGS	NTS
DATE	15.06.15	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	